

Discovery-2™ Diagnostic Spirometer

FVC, MVV and VC/SVC
Pre/Post Medication
Challenge Testing
Color Display with Real-time Graphs
Internal & External Printing
Alphanumeric Keyboard
Memory
Pediatric Incentive
Data Management Software
Software for Direct Testing on PC
Optional Oximetry and Airway Resistance



Discovery-2 is a compact diagnostic spirometer with capabilities common to larger instruments. Over 30 years of experience in serving the needs of the medical community have resulted in Futuremed's most complete spirometer, incorporating the latest technology, most current industry standards, and recommendations made by thousands of existing customers.

Dependable

Discovery-2 meets or exceeds current ATS, ERS, OSHA and Social Security Disability standards for spirometry, and has been independently tested and validated by the Pulmonary Lab at LDS Hospital for accuracy and precision. A unique sensor design that is unaffected by environmental changes, along with a built-in temperature sensor and the ability to make BTPS corrections, ensure that measurements are exact for a wide range of flows, with low resistance.

Intuitive

Pull-down menus and data input fields make operation familiar and easy. An alphanumeric keyboard lets you enter patient information and operator notes for personalized reports. Tests include FVC, SVC, MVV, Pre/Post Medication Comparison, and bronchodilator challenge testing.



The "best test" is identified; a different patient effort may be selected.

Patient-friendly

Adults and children alike will find the smooth and lightweight Discovery-2 handset easy to hold. The "Bubbles" pediatric incentive, available at the operator's discretion, gives patients a visual goal and motivates them to perform better, yielding optimal results.

Real-time Color Display

Flow-volume and volume-time graphs are displayed in real time. This ability to study both graphs side-by-side lets the technician inspect the quality of each maneuver before proceeding to the next. Multiple efforts are displayed in different colors for easy identification. Quality control messages let the operator know if a test meets accepted testing criteria and are helpful in coaching patients. MVV and SVC maneuvers are also displayed in real time.

Memory

Over 400 tests can be stored on Discovery-2 for future reference. Patient files may also be permanently archived on a computer.

Multiple Ways to Print

Discovery-2 allows multiple printing options. Complete reports can be generated on the internal printer in less than 15 seconds. Al-


ternatively, Discovery-2 can be connected to a standard printer for plain paper, full page reports. Reports can be stored on a flash drive as a pdf, or sent to Discovery software, then printed on your standard PC printer.

Data Management Software

Discovery-2's Software for Windows serves two functions. The first is to store patient files on your computer, with the ability to print color reports, interface with other programs, create trend graphs, and compare tests, for a more complete picture of the patient's pulmonary function over time. The second, more unique, aspect of the software is to perform tests directly on the computer, with larger real time graphs, a colorful pediatric incentive and immediate archiving of patient records.

Cost-effective

Discovery-2 can be used with a choice of mouthpieces or bacterial filters, giving the operator control over the cost and quality of disposables.



FUTUREMED

15700 Devonshire St.
Granada Hills, CA 91344 USA
Toll free: 1-800-222-6780
Phone 1-818-830-2500 Fax: 1-818-891-4755
e-mail: info@futuremed.com
www.futuremed.com

DISCOVERY-2™ DIAGNOSTIC SPIROMETER

SPECIFICATIONS

Flow sensor	Bidirectional digital turbine
Range	0.03-20 l/s
Flow accuracy	+/- 3% or +/- 50 ml
Airflow resistance	Less than .7 cm H ₂ O/l/s at 12 l/s
Volume range	0-12 liters
Temperature sensor	32-122°F (0-50°C)
Operating temperature	41-104°F (5-40°C)
Size	7.8" x 9.4" x 3" (19.8 x 23.8 x 7.6 cm)
Weight	2.6 lbs (1.2 kg)
Power	AC/DC power supply, 110/220 VAC 50/60Hz
Battery	Rechargeable Ni-Mh batteries
Memory	200 - 300 tests
Internal printer	Thermal, 4.5" wide
External printer interface	Standard USB interface to commercial external printers
Graphic display	Graphic, color display with pediatric "Bubbles" incentive
PC interface	One USB and one RS 232 port
Calibration	Automatic, using a 3.0L syringe
Safety class	☑ Conforms to existing guidelines EN60601-1 (safety) / EN60601-1-2 (EMC)
Languages available	English, Spanish, French, Italian, Portuguese, German, Turkish, Chinese, Korean

PARAMETERS

FVC, FEV1, PEF, FEV1/FVC, FEV6, FEV6/FVC, FEV1/FEV6, FEF25-75, FET100%, VEXT, FIVC, PIF, VC (SVC), IVC, MVV, FEV1/VC%, ERV, IRV, VE, Rf, ti, te, ti/t.tot, Vt/Ti, IC, MEF75, MEF50, MEF25, Best FVC, Best FEV1, Lung Age, SpO2*, HR*, R_occ*, P_occ*, Flow_occ*

PREDICTED STANDARDS

NHANESIII, Knudson83, ITS, ERS 1993 (ECCS 1983), ECCS 1971, Zapletal, LAM, Pneumobil, Gutierrez (Chile), Multicèntrico Barcelona, User defined predicted calculations.

STANDARD ACCESSORIES

D235000 Discovery-2 Spirometer
Flowmeter sensor & reader
AC\DC adapter
Communication cable
Pediatric mouthpiece adapter
Bacterial filter adapter
Bacterial filter starter kit
Sample noseclips
40 mouthpieces
Roll of paper
Carrying case
Operating manual
Discovery-2 Software for Windows



OPTIONAL ACCESSORIES

39250 3 liter calibration syringe
39NA-050 Viral/Bacterial filters - box of 50
39NA-250 Viral/Bacterial filters - box of 250
35075 One-way mouthpieces - box of 100
35070 Adult mouthpieces - box of 100
35080 Adult mouthpieces - box of 1000
35090 Pediatric mouthpieces - box of 100
35100 Pediatric mouthpieces - box of 1000
39290 Disposable noseclips - box of 100
036700138 Flash Drive w/PDF converter
323900105 Pulse Oximetry kit
326500111 Airway Resistance kit

Federal law (USA) restricts this device to sale by or on the order of a physician. Discovery and Discovery-2 are registered trademarks of Futuremed America Inc. Windows is a registered trademark of Microsoft Corporation. Specifications are subject to change without notice.

FUTUREMED

Phone: 1-800-222-6780 or 1-818-830-2500 • Fax 1-818-891-4755
e-mail: info@futuremed.com • www.futuremed.com
Futuremed America Inc., 15700 Devonshire St., Granada Hills, CA 91344 USA